····	Application No.	Applicant(s)
Notice of Allowability		
	10/729,337 Examiner	NANDA, SANJIV Art Unit
	JOHN J. LEE	2618
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>applicant's amendment filed on October 16, 2007</u> .		
2. The allowed claim(s) is/are <u>1-10,13,15-24,26,28,29 and 31-34</u> .		
 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		. •
1. Notice of References Cited (PTO-892)	5. Notice of Informal F	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No /Mail Da	
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	Paper No./Mail Da 7.	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Statem	ent of Reasons for Allowance
of Biological Material	9.	

Art Unit: 2618

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Donald C. Kordich (Reg# 38,213) on October 29, 2007.

The application has been amended as follows:

In claim 34, line 1, "a computer readable-medium" has been changed to -- a computer readable-medium encoded with a computer program --.

Reasons of Allowance

2. The following is an examiner's statement of reasons for allowance: claims 1-10, 13, 15-24, 26, 28, 29, 31-34 are allowable over the prior art of record for the reasons as stated applicant's amendment filed on October 23, 2007 that none of the prior art of record teaches or fairly suggests that scheduling communications comprises selecting from a piconet of terminals, constructing a piconet topology map including coordinate information concerning the terminal pairs, obtaining path loss information for the terminal pairs, the path loss information comprising available path loss information and estimated path loss information, the estimated path loss information being based upon the piconet map, determining target quality parameter for each of the receiving terminals, and

Art Unit: 2618

scheduling simultaneous transmission from each of the transmitting terminals to its corresponding receiving terminal based upon the path loss information, and the scheduling of the simultaneous transmission including selecting a power level for each of the signal transmissions that satisfies the target quality parameter, together with combination of other element as set forth in the claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks Washington, D.C. 20231 Or P.O. Box 1450 Alexandria VA 22313

or faxed (571) 273-8300, (for formal communications intended for entry)

Or: (703) 308-6606 (for informal or draft communications, please label "PROPOSED" or "DRAFT").

Application/Control Number: 10/729,337

Art Unit: 2618

Page 4

Hand-delivered responses should be brought to USPTO Headquarters, Alexandria, VA.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to **John J. Lee** whose telephone number is (571) 272-7880. He can normally be reached Monday-Thursday and alternate Fridays from 8:30am-5:00 pm. If attempts to reach the examiner are unsuccessful, the examiner's supervisor, **Edward Urban**, can be reached on (571) 272-7899. Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 305-4700.

J.L October 24, 2007

John J Lee

EDWARD F. URBAN SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600